







- •92 keys, short travel
- •50 mm IP68 trackball
- •IP67 sealing

# IEC60945 MARINE ECDIS KEYBOARD

 $This \ 92 \ key backlit \ key board \ features \ a \ compact \ full \ MF \ key board \ with \ integrated \ numbed \ and \ a \ large \ 50mm \ water proof \ trackball \ with \ removable \ ball.$ 

#### MAIN FEATURES

- •Certificate of Conformity fully compliant with IEC60945
- •Removable 50 mm optical trackball

panel mount

- •High brightness LED's with fibre optics
- •Illumination of the key legends and contour, the trackball contour and even customer logo's or trademarks
- •Low power LED's warrant for a long life
- •No external power supply necessary, keyboard port power sufficient
- Dimmable backlighting at 8 levels by two dedicated keys
- •Intelligent luminosity setting of "numlock" and capslock" LED's
- $\bullet \mbox{White backlighting as standard, other colours on request} \\$

#### <u>Panel mount version</u>:

- $\bullet A luminium \, carrier \, and \, silicone \, sponge \, panel \, sealing \,$
- •Front panel mounting with holes (for countersunk M4 screws, not included)
- •Added silicon sponge seal for perfect sealing into the user's panel
- •The rear side components are protected by a covering metal plate
- $\bullet$ Dimensions / weight : 385 x 185 x 50 mm / 1,2 kg

## <u>Desktop version</u>:

- •The keyboard is mounted in a robust, all steel enclosure
- •Industrial epoxy coating (mid-grey).
- •Dimensions / weight: 418 x 246 x 70 mm / 3,5 kg

### **GENERAL TECHNICAL SPECIFICATIONS**

Sealing : IP67 sealed

Keys : 92 short travel switches, tactile feel switches

with 0,3 mm travel and 2,55 N operating force

Pointing Device : 50 mm optical trackball, epoxy resin ball

Output : 1,6 meter USB cable
Power requirements : Directly from USB port

Operating temp. : 0°C to +60°C

Front layer : Black polyester front layer with embossed keys,

scratch and chemical resistant

#### CONNECTIVITY

The keyboard is supplied with one 1,6m long shielded straight cable ended by a USB type A connector.

### **CUSTOMIZATION**

Possible customization includes adapted backlighting controls, addition of company logo or specific function keys, different layouts, different colour.



### **ORDER INFO**

	COUNTRY LAYOUT	PANEL MOUNT	DESKTOP
	US Qwerty	KSML92F0001-W-MC1	KSML92S0001-W-MC1
	Cyrillic Russian Qwerty	KSML92F0007-W-MC1	KSML92S0007-W-MC1
	German Qwertz	KSML92F0049-W-MC1	KSML92S0049-W-MC1

USB output

White backlighting as standard, other colours on request




















Keyboard & Key Background : PANTONE Black 2 C 2X Key edges & key legends : white Translucent

The company reserves the right to alter without prior knowledge the specification or design of any standard product or service.



### KSML92-MC1









COLOURS

Keyboard & Key Background : PANTONE Black 2 C 2X Key edges & key legends : white Translucent



The company reserves the right to alter without prior knowledge the specification or design of any standard product or service.